

New Construction Double Hung Transom, Sidelite & Picture Window Size Chart

Unit Dimension	1'-2 1/2"	1'-9 1/2"	2'-1 1/2"	2'-5 1/2"	2'-9 1/2"	3'-1 1/2"	3'-5 1/2"	3'-1 1/2"	4'-1 1/2"	5'-1 1/2"
Rough Opening	14 1/2" 15"	21 1/2" 22"	25 1/2" 26"	29 1/2" 30"	33 1/2" 34"	37 1/2" 38"	41 1/2" 42"	37 1/2" 38"	49 1/2" 50"	61 1/2" 62"

1'-2" 14" 1'-2 1/2" 14 1/2"										
3'-1" 37" 3'-1 1/2" 37 1/2"										
3'-5" 41" 3'-5 1/2" 41 1/2"										
4'-1" 49" 4'-1 1/2" 49 1/2"										
4'-5" 53" 4'-5 1/2" 53 1/2"										
4'-9" 57" 4'-9 1/2" 57 1/2"										
5'-5" 65" 5'-5 1/2" 65 1/2"										
5'-9" 69" 5'-9 1/2" 69 1/2"										
6'-5" 77" 6'-5 1/2" 77 1/2"										

- Window shown are oriel style (Top sash smaller than bottom, standard windows are equal height. See Options page for oriel upcharge.)
- * Meets the most stringent state egress code of 20" clear width, 24" clear height and 5.7 square feet clear opening. (Other smaller sizes may meet your state's egress code. Call with your state's requirement for further clarification.)

Twin Combinations Size Chart

Unit Dimension	3'-7 1/2" 43 1/2"	4'-3 1/2" 51 1/2"	4'-11 1/2" 59 1/2"	5'-7 1/2" 67 1/2"	6'-3 1/2" 75 1/2"	6'-11 1/2" 83 1/2"
Rough Opening	3'-8" 44"	4'-4" 52"	5'-0" 60"	5'-8" 68"	6'-4" 76"	7'-0" 84"
3'-1" 37" 3'-1 1/2" 37 1/2"	18210-2	20210-2	24210-2	28210-2	30210-2	34210-2
3'-5" 41" 3'-5 1/2" 41 1/2"	1832-2	2032-2	2432-2	2832-2	3032-2	3432-2
4'-1" 49" 4'-1 1/2" 49 1/2"	18310-2	20310-2	24310-2	28310-2	30310-2	34310-2
4'-5" 53" 4'-5 1/2" 53 1/2"	1842-2	2042-2	2442-2	2842-2	3042-2	3442-2
4'-9" 57" 4'-9 1/2" 57 1/2"	1846-2	2046-2	2446-2	2846-2	3046-2	3446-2
5'-5" 65" 5'-5 1/2" 65 1/2"	1852-2	2052-2	2452-2	2852-2	3052-2	3452-2
5'-9" 69" 5'-9 1/2" 69 1/2"	1856-2*	2056-2*	2456-2*	2856-2*	3056-2*	3456-2*
6'-5" 77" 6'-5 1/2" 77 1/2"	1862-2	2062-2	2462-2	2862-2	3062-2	3462-2

• Window available in oriel style (Top sash smaller than bottom).

* Our mulling system allows for easy to remember rough opening calculations. Just add the rough opening sizes for each single unit together. Example: 20210-2 = 2 x 2' 2" = net rough opening of 4' 4".

Triple Combination Size Chart

Unit Dimension	5'-5 1/2" 65 1/2"	6'-5 1/2" 77 1/2"	7'-5 1/2" 89 1/2"	8'-5 1/2" 101 1/2"
Rough Opening	5'-6" 66"	6'-6" 78"	7'-6" 90"	8'-6" 102"
3'-1" 37" 3'-1 1/2" 37 1/2"	18210-3	20210-3	24210-3	28210-3
3'-5" 41" 3'-5 1/2" 41 1/2"	1832-3	2032-3	2432-3	2832-3
4'-1" 49" 4'-1 1/2" 49 1/2"	18310-3	20310-3	24310-3	28310-3
4'-5" 53" 4'-5 1/2" 53 1/2"	1842-3	2042-3	2442-3	2842-3
4'-9" 57" 4'-9 1/2" 57 1/2"	1846-3	2046-3	2446-3	2846-3
5'-5" 65" 5'-5 1/2" 65 1/2"	1852-3	2052-3	2452-3	2852-3
5'-9" 69" 5'-9 1/2" 69 1/2"	1856-3	2056-3	2456-3	2856-3
6'-5" 77" 6'-5 1/2" 77 1/2"	1862-3	2062-3	2462-3	2862-3

• Windows available in oriel style (Top sash smaller than bottom).

New Construction Triple Combination Double Hung & Picture Window Center Size Chart

— 3-Wide Double Hung Center 3-Wide Picture Window Center —

Unit Dimension	6'-5 1/2" 77 1/2"	7'-1 1/2" 85 1/2"	7'-9 1/2" 93 1/2"	8'-5 1/2" 101 1/2"	8'-9 1/2" 105 1/2"	9'-5 1/2" 113 1/2"
Rough Opening	6'-6" 78"	7'-2" 86"	7'-10" 94"	8'-6" 102"	8'-10" 106"	9'-6" 114"
3'-1" 37" 3'-1 1/2" 37 1/2"	 18-28210-18	 20-28210-20				
3'-5" 41" 3'-5 1/2" 41 1/2"	 18-2832-18	 20-2832-20				
4'-1" 49" 4'-1 1/2" 49 1/2"	 18-28310-18	 20-28310-20	 18-40310-18	 20-40310-20	 18-50310-18	 20-50310-20
4'-5" 53" 4'-5 1/2" 53 1/2"	 18-2842-18	 20-2842-20	 18-4042-18	 20-4042-20	 18-5042-18	 20-5042-20
4'-9" 57" 4'-9 1/2" 57 1/2"	 18-2846-18	 20-2846-20	 18-4046-18	 20-4046-20	 18-5046-18	 20-5046-20
5'-5" 65" 5'-5 1/2" 65 1/2"	 18-2852-18	 20-2852-20	 18-4052-18	 20-4052-20	 18-5052-18	 20-5052-20
5'-9" 69" 5'-9 1/2" 69 1/2"	 18-2856-18*	 20-2856-20*	 18-4056-18*	 20-4056-20*	 18-5056-18*	 20-5056-20*
6'-5" 77" 6'-5 1/2" 77 1/2"	 18-2862-18	 20-2862-20	 18-4062-18	 20-4062-20	 18-5062-18	 20-5062-20

• Windows available in oriel style (Top sash smaller than bottom).

Note: To obtain above unit pricing, add each individual window price located on pages 5-1 and 5-2, plus two (2) mullion costs.

Circle Tops

Unit Dimension	2'-5 1/2" 29 1/2"
Rough Opening	2'-6" 30"

1'-2 3/4" 14 3/4" 15 1/4"



Unit Code 24 CT
Grid Code HR 8

Unit Dimension	2'-9 1/2" 33 1/2"
Rough Opening	2'-10" 34"


1'-4 3/4" 16 3/4" 17 1/4"



Unit Code 28 CT
Grid Code HR 8

Unit Dimension	3'-1 1/2" 37 1/2"
Rough Opening	3'-2" 38"


1'-6 3/4" 18 3/4" 19 1/4"



Unit Code 30 CT
Grid Code HR 9

Unit Dimension	4'-11 1/2" 59 1/2"
Rough Opening	5'-0" 60"


2'-5 3/4" 29 3/4" 30 1/4"



Unit Code 24-2 CT
Grid Code HR 14

Unit Dimension	5'-7 1/2" 67 1/2"
Rough Opening	5'-8" 68"

2'-9 3/4" 33 3/4" 34 1/4"




Unit Code 28-2 CT
Grid Code HR 14

Octagons

Unit Dimension	2' 0" 24"
Rough Opening	2'-1/2" 24 1/2"


2' 0" 24" 2'-0 1/2" 24 1/2"



Unit Code 20 OCT

Unit Dimension	2'-6" 30"
Rough Opening	2'-6 1/2" 30 1/2"

2' 6" 30" 2'-6 1/2" 30 1/2"




Unit Code 26 OCT

* Minimum Prestige size is 25" Octagon

Eye Brows

Rough Opening	4'-11 3/4" 59 3/4"
---------------	-----------------------


1'-5 1/2" 17 1/2"



Unit Code EB50


Rough Opening	5'-11 3/4" 71 3/4"
---------------	-----------------------

1'-9 1/2" 21 1/2"




Unit Code EB60


Ovals & Circles




2634 Oval
RO: 30 1/2 x 40 1/2"



2840 Oval
RO: 32 1/2 x 48 1/2"



22 Circle
RO: 26 1/2 x 26 1/2"




26 Circle
RO: 30 1/2 x 30 1/2"

Extended Leg Eyebrows & Circle Top

Rough Opening

5'-2"
62"




Unit Code

ELEB5456

Rough Opening

5'-2"
62"



Unit Code



ELCT5456




Vinyl New Construction 2-Lite Slider & Basement Hopper Windows




Unit Dimension	3'-5 1/2" 41 1/2"	3'-11 1/2" 47 1/2"	5'-1 1/2" 61 1/2"
Rough Opening	3'-6" 42"	4'-0" 48"	5'-2" 62"



3636 2LS




4036 2LS




5036 2LS

Basement Hopper Windows

Unit Dimension	2'-8" 32"
Rough Opening	2'-9 1/2" 32 1/2"



2813 BH



2817 BH

New Construction Casement Windows With Applied Nail Fin

Viewed from outside




Left Hinged


or



Right Hinged



Left Hinged Right Hinged



Left Hinged Right Hinged

F = Fixed Panel

	One Lite					Two Lite			Three Lite
Unit Dimension	1'-5" 17"	1'-9" 21"	2' 24"	2'-4" 28"	2'-8" 32"	3'-6" 42"	4' 48"	4'-8" 56"	6' 72"
Rough Opening	1'-5 3/4" 17 3/4"	1'-9 3/4" 21 3/4"	2'-0 3/4" 24 3/4"	2'-4 3/4" 28 3/4"	2'-8 3/4" 32 3/4"	3'-6 3/4" 42 3/4"	4'-0 3/4" 48 3/4"	4'-8 3/4" 56 3/4"	6'-3/4" 72 3/4"
*Day Light Opening	9 1/2"	13 1/2"	16 1/2"	20 1/2"	24 1/2"				
2'-11 1/2" 35 1/2" 3'-1/4" 36 1/4" 30 1/2"									
	1530	1930	2030	2430	2830	3630-2	4030-2	4830-2	6030-3
3'-5 1/2" 41 1/2" 3'-6 1/4" 42 1/4" 36 1/2"									
	1536	1936	2036	2436	2836	3636-2	4036-2	4836-2	6036-3
3'-11 1/2" 47 1/2" 4'-1/4" 48 1/4" 42 1/2"									
	1540	1940	2040	2440	**2840	3640-2	4040-2	4840-2	6040-3
4'-5 1/2" 53 1/2" 4'-6 1/4" 54 1/4" 48 1/2"									
	1546	1946	2046	2446	**2846	3646-2	4046-2	4846-2	6046-3
4'-11 1/2" 59 1/2" 5'-1/4" 60 1/4" 54 1/2"									
	1550	1950	2050	2450	**2850	3650-2	4050-2	4850-2	6050-3
5'-11 1/2" 71 1/2" 6'-1/4" 72 1/4" 60 1/2"									
	1560	1960	2060	2460	**2860	3660-2	4060-2	4860-2	6060-3

* Reflects use of egress style hardware

** Meets the most stringent state egress code of 20" clear width, 24" clear height and 5.7 square feet clear opening. (Other smaller sizes may meet your state's egress code. Call with your state's requirement for further clarification.)



Casement Picture & Awning Window




Unit Dimension	3-11 1/2"	5-11 1/2"
Rough Opening	47 1/2" 4'-0 1/4" 48 1/4"	71" 5'-11 3/4" 71 3/4"
2'-11 1/2"	35 1/2" 3'-0 1/4" 36 1/4"	
3'-5 1/2"	41 1/2" 3'-6 1/4" 42 1/4"	
3'-11 1/2"	47 1/2" 4'-0 1/4" 48 1/4"	
4'-5 1/2"	53 1/2" 4'-6 1/4" 54 1/4"	
4'-11 1/2"	59 1/2" 5'-0 1/4" 60 1/4"	
5'-11 1/2"	71 1/2" 6'-0 1/4" 72 1/4"	
	4030 CPW	6030 CPW
	4036 CPW	6036 CPW
	4040 CPW	6040 CPW
	4046 CPW	6046 CPW
	4050 CPW	6050 CPW
	4060 CPW	6060 CPW


Awnings

Unit Dimension	2'-0"	3'-0"	4'-0"
Rough Opening	24" 2'-0 3/4" 24 3/4"	36" 3'-0 3/4" 36 3/4"	48" 4'-0 3/4" 48 3/4"


2'-0"
24"
2'-0 3/4"
24 3/4"



2020 AWN



3020 AWN



4020 AWN